Material Safety Data Sheet

PSR-2000 GD03S

Identity (Trade Name As Used On Label)

SECTION 1 - IDENTIFICATION

TAIYO INK (SUZHOU) CO.,LTD.

Manufacturer No.26 Taishan Road,Suzhou New District,Suzhou City

Address

Jiangsu Province, P.R. China

'+86-512-6665-5550

Phone Number (For Information)

'+86-512-6665-5550

Emergency Phone Number

MSC-035001-A-02

MSDS Number*

CAS Number*

October 19th, 2005

Date Prepared

K.KURIHARA

Prepared By*

Note: Blank spaces are not permitted. If any item is not applicable, or no information is available, the space must be marked to indicate that.

SECTION 2 - MATERIAL IDENTIFICATION AND INFORMATION

COMPONENTS - Chemical Name & Com Components 1% or greater: Carcinogens 0.1% or	(%	OSHAP EL	ACGIH TLV	OTHER LIMITS RECOMMENDED
Heavy aromatic solvent naphtha (petroleum)	CAS No. 64742-94-5	< 14	N.A.	N.A.	N.A.
Silica	CAS No. 14808-60-7	< 5	N.A.	N.A.	N.A.
Non-Hazardous Ingredients		> 81			
Total		100			

SECTION 3 - PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling Point	161	Specific Gravity ($H_2O = 1$)	1.3± 0.2
Vapor Pressure (kPa and Temperature)	0.27(38)	Melting Point	N.E.
Field Limit	1.2 ~ 7.5%	Solubility in Water	≤ 11 wt%
Appearance and Oder	Green paste with Mild Odor	Flash Point and Method Used	73°C (Seta C.C.)

SECTION 4 - FIRE-FIGHTING MEASURES

Suitable Extinguishing Media	Carbon dioxide, Foam, Dry chemical
Unsuitable Extinguishing Media	Water spray and water jet.
Exposure Hazards	Burning may release oxides of carbon, nitrogen, sulphur and other toxic gases or vapors. Do not release chemically contaminated water into drains or surface waters. Dispose of contaminated waters and soil according to local regulations.
Protective Equipment for Firefighters	Use full protective clothing and self-contained breathing apparatus.
Measures	Promptly move transferable containers to another safety area. Check the speed and spread of fire. Extinguish the fire with suitable extinguisher from the windward side.

SECTION 5 - HAZARD IDENTIFICATION

Inhalation	Highly concentrated vapor irritates nose, throat and lungs. May cause headache and dizziness.
Eye Contact	Slight irritation
Skin Contact	Slight irritation
Ingestion	Harmful, if swallowed.

SECTION 6 - EXPOSURE CONTROLS AND PERSONAL PROTECTION

ally sensitive, should avoid contact with this product.
No special safety measures required.
(See PEL and TLV values shown in section 2)
Wear suitable mask to avoid inhalation of vapor.
Wear chemical resistant gloves.
Wear safety glasses.
Wear suitable protective

SECTION 7 - FIRST AID MEASURES

EMERGENCY FIRST AID PROCEDURES	Seek medical assistance for further treatment, observation and support if necessary.
Eye Contact	Rinse immediately with clean water for at least 15 minutes. If irritation persists, seek medical attention.
Skin Contact	Wash with plenty of running water using a mild soap. Do not use organic solvents.
Inhalation	Immediately carry the victim to a place where fresh air is available. If irritation persists, treat with oxygen and seek medical attention.
Ingestion	Obtain medical advice immediately. It's not recommended that vomiting be induced except on medical advice.

SECTION 8 - ACCIDENTAL RELEASE MEASURES

Personal Precaution	Avoid ignition sources. Avoid contact with skin, eyes and clothing. Avoid in halating vapor
Environmental Precautions	Prevent contamination of soil, drains and surface waters.
Methods for Cleaning	Scoop up or absorb into combustible material, wipe out a stain in use organic solvents. Dispose in accordance with local regulations.

SECTION 9 - HANDLING AND STORAGE

Handling	Handle with care. Avoid ignition sources. Ensure good ventilation and local exhaust. Do not smoke at the workplace.
Storage	Store in the original sealed container at less than 25 . Avoid direct exposure to UV and sunlight's.

SECTION 10 - STABILITY AND REACTIVITY

Stability	The product is stable (ambient temperatures).
Conditions to avoid	Heat and sunlight.
Materials to avoid	Strong acids, strong bases, peroxides and strong oxidizing agents.
Hazardous Decomposition Products	Burning may release oxides of carbon, nitrogen, sulphur and other toxic gases or vapors.

SECTION 11 - DISPOSAL CONSIDERATIONS

Incineration or landfill in accordance with local regulations.

SECTION 12 - TOXICOLOGICAL INFORMATION

PRIMARY ROUTE(S) OF ENT	ſRY			
	■ DERMAL	■ IN	HALATION	□ INGESTION
TOXICITY STUDIES			ot been carried out section 1 is given be	on this product. Toxicity information available for elow.
HEATH HAZARDS				
ACUTE INGEST	TON TOXICITY		N.E.	
ACUTE SKIN IR	RITATION		Slightly irrotant	
MUTAGENICIT	Y		NONE	
CARCINOGENICITY				
□ N	NTP	IARC	□ OSHA	□ NOT LISTED

Silica crystalline (or carbon black) mentioned at Section 1 is classified to a carcinogen, because of the specific state furnished in a powder from and which causes lung cancers, due to the direct inhalation. This case, it is mixed together with other substances and which is furnished in a liquid preparation, having no capability of allowing any direct inhalation of Silica crystalline (or carbon black) itself. This material furnished in a liquid preparation has no potential to cause any lung cancers.

SYMPTOMS OFOVER XPC	DSURE
INHALATION	Slight irritation to respiratory tract. Highly concentrated vapor may cause headaches, dizziness, and nausea.
EYE	Slight irritation
SKIN	Slight irritation
INGESTION	Expected to have a low order of toxicity.

SECTION 13 - ECOLOGICAL INFORMATION

ACUTE FISH TOXICITY

Ecological data are not available.

U.K.

BIODEGRADABILITY

SECTION 14 - TRANSPORT INFORMATION

bustible Liquid
(Seta C.C.)

SECTION 15 - REGULATORY INFORMATION

APPLICATION of LAW

Occupational Health and Safety Law.

Further information

Acetophenone derivative has been classified officially according to EU, Annex 1., and is additionally proposed to be classified as Repro. Cat.3 R63, S36 due to its reproductive toxicity observed in a combined one-generation/prenatal developmental toxicity study in rats.

SECTION 16 - OTHER INFORMATION

This Product should be stored, handled and used in accordance with good industrial hygiene practices and in conformity with any legal regulation. The information contained herein is based on the present state of our knowledge and is intended to describe our products from the point of view of safety requirements. It should not therefore be construed as guaranteeing specific properties. It may not be valid for this material, if used in combination with any other materials.

Optional

U.K. = Un-Known

N.E.= Not Established

N.A.= Not Applicable