## Material Safety Data Sheet

CA-40 H855

Identity (Trade Name As Used On Label)

TAIYO INK (SUZHOU) CO.,LTD.	MSC-033015-A-02		
Manufacturer	MSDS Number*		
No.26 Taishan Road, Suzhou New District, Suzhou City			
Address	CAS Number*		
Jiangsu Province,P.R.China	October 19th, 2005		
	Date Prepared		
'+86-512-6665-5550	K.KURIHARA		
Phone Number (For Information)	Prepared By*		
'+86-512-6665-5550	Note: Blank spaces are not permitted. If any item is no		
Emergency Phone Number	applicable, or no information is available, the space mus		
	be marked to indicate that.		

## SECTION 2 - MATERIAL IDENTIFICATION AND INFORMATION

COMPONENTS - Chemical Name & Common Names (Hazardous Components 1% or greater: Carcinogens 0.1% or greater)		%	OSHAP EL	ACGIH TLV	OTHER LIMITS RECOMMENDED
Heavy aromatic solvent naphtha (petroleum) CAS No. 64742-94-5		<4	N.A.	N.A.	N.A.
Non-Hazardous Ingredients		> 96			1111111
Total		100			

## SECTION 3 - PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling Point	146	Specific Gravity $(H_2O = 1)$	1.7± 0.1
Vapor Pressure (kPa and Temperature)	0.27(38°C)	Melting Point	N.E
Field Limit	1.2 ~ 7.5%	Solubility in Water	≤ 7.8wt%
Appearance and Oder	White paste with Mild Odor	Flash Point and Method Used	84°C (Seta C.C.)

## SECTION 4 - FIRE-FIGHTING MEASURES

Suitable Extinguishing Media	Carbon dioxide, Foam, Dry chemical
Unsuitable Extinguishing Media	Water spray and water jet.
Exposure Hazards	Burning may release oxides of carbon, nitrogen, sulphur and other toxic gases or vapors. Do not release chemically contaminated water into drains or surface waters. Dispose of contaminated waters and soil according to local regulations.
Protective Equipment for Firefighters	Use full protective clothing and self-contained breathing apparatus.
Measures	Promptly move transferable containers to another safety area. Check the speed and spread of fire. Extinguish the fire with suitable extinguisher from the windward side.

MSDS No: MSC-033015-A-02

SECTION 5 - HAZARD IDEN	TIFICATION
Inhalation	Highly concentrated vapor irritates nose, throat and lungs.  May cause headache and dizziness.
Eye Contact	Slight irritation
Skin Contact	Slight irritation
Ingestion	Harmful, if swallowed.
SECTION 6 - EXPOSURE CO	ONTROLS AND PERSONAL PROTECTION
People, who know they are chemic	cally sensitive, should avoid contact with this product.
Technical Protective Measures	No special safety measures required.
Exposure Control Limits	(See PEL and TLV values shown in section 2)
Respiratory Protection	Wear suitable mask to avoid inhalation of vapor.
Hand Protection	Wear chemical resistant gloves.
Eye Protection	Wear safety glasses.
Skin Protection	Wear suitable protective
SECTION 7 - FIRST AID ME.	ASURES
EMERGENCY FIRST AID PROCEDURES	Seek medical assistance for further treatment, observation and support if necessary.
Eye Contact	Rinse immediately with clean water for at least 15 minutes.  If irritation persists, seek medical attention.
Skin Contact	Wash with plenty of running water using a mild soap. Do not use organic solvents.
Inhalation	Immediately carry the victim to a place where fresh air is available.  If irritation persists, treat with oxygen and seek medical attention.
Ingestion	Obtain medical advice immediately. It's not recommended that vomiting be induced except or medical advice.
SECTION 8 - ACCIDENTAL	RELEASE MEASURES
Personal Precaution	Avoid ignition sources. Avoid contact with skin, eyes and clothing.  Avoid in halating vapor
Environmental Precautions	Prevent contamination of soil, drains and surface waters.
Methods for Cleaning	Scoop up or absorb into combustible material, wipe out a stain in use organic solvents. Dispose in accordance with local regulations.
SECTION 9 - HANDLING AN	ND STORAGE
Handling	Handle with care. Avoid ignition sources. Ensure good ventilation and local exhaust.  Do not smoke at the workplace.
Storage	Store in the original sealed container at less than 25 . Avoid direct exposure to UV and sunlight's.

MSDS No: MSC-033015-A-02

SECTION 10 - STABILITY AND REACTIVITY			
Stability	The product is stable (	(ambient temperatures).	
Conditions to avoid	Heat and sunlight.		
Materials to avoid	Strong acids, strong b	ases, peroxides and stro	ng oxidizing agents.
Hazardous Decomposition Products	Burning may release of	oxides of carbon, nitrogo	en, sulphur and other toxic gases or vapors.
SECTION 11 - DISPOSAL CON	SIDERATIONS		
Incineration or landfill in accorda	nce with local regulat	tions.	
SECTION 12 - TOXICOLOGICA	AL INFORMATION		
PRIMARY ROUTE(S) OF ENTRY			
■ □	DERMAL IN	NHALATION	□ INGESTION
TOXICITY STUDIES		not been carried out or in section 1 is given belo	n this product. Toxicity information available for ow.
HEATH HAZARDS			
ACUTE INGESTION	TOXICITY	N.E.	
ACUTE SKIN IRRITA	ATION	Slightly irrotant	
MUTAGENICITY		NONE	
CARCINOGENICITY			
□ NTP	■ IARC	□OSHA	□ NOT LISTED
powder from and which causes lung	cancers, due to the dire	ect inhalation. This cast	ogen, because of the specific state furnished in a se, it is mixed together with other substances and t inhalation of Silica crystalline (or carbon black) ung cancers.
SYMPTOMS OFOVER XPOSURE			
INHALATION	Slight irritation to resp and nausea.	piratory tract. Highly co	ncentrated vapor may cause headaches, dizziness,
EYE	Slight irritation		
SKIN	Slight irritation		
INGESTION	Expected to have a lo	w order of toxicity	

SECTION 13 - ECOLOGICA	AL INFORMATION
ACUTE FISH TOXICITY	Ecological data are not available.
BIODEGRADABILITY	U.K.
SECTION 14 - TRANSPOR	T INFORMATION
ADR	Inflammable Liquid
IMDG-CODE	Free
IATA	Free
US DOT	Combustible Liquid
UN	Free
FLASH POINT	84°C (Seta C.C.)
SECTION 15 - REGULATO	RY INFORMATION
APPLICATION of LAW	Occupational Health and Safety Law.
Further information	-
SECTION 16 - OTHER INFO	ORMATION

This Product should be stored, handled and used in accordance with good industrial hygiene practices and in conformity with any legal regulation. The information contained herein is based on the present state of our knowledge and is intended to describe our products from the point of view of safety requirements. It should not therefore be construed as guaranteeing specific properties. It may not be valid for this material, if used in combination with any other materials.

Optional U.K. = Un-Known N.E.= Not Established N.A.= Not Applicable